

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	tangential with crossflow	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 14:59
L2	62	tangential with crossflow	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 14:59
L3	28	tangential with crossflow and ultrafiltration	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:35
L4	1	tangential with crossflow same ultrafiltration	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:06
L5	25	tangential with crossflow and ultrafiltration and separation	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:19
L6	0	tangential with crossflow and ultrafiltration and separation and 530/417.ccls	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:20
L7	1	tangential with crossflow and ultrafiltration and separation and 530/417.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:21
L8	1	tangential with crossflow and ultrafiltration and 530/417.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:24
L9	1	tangential with crossflow and ultrafiltration and 530/412.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:22
L10	1	tangential with crossflow and ultrafiltration and 210/637.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:22
L11	0	tangential with crossflow and ultrafiltration and 210/109.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:24
L12	2	"5256294".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:24

L13	12	tangential with crossflow and ultrafiltration and "210"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:25
L14	2	tangential with crossflow and ultrafiltration and feedstream	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:36
L15	0	tangential with crossflow and ultrafiltration and efflux	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:36
L16	11	tangential with crossflow and ultrafiltration and flux	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/23 15:36

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal653rbm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 28	PATDPAFULL - New display fields provide for legal status data from INPADOC
NEWS	4	FEB 28	BABS - Current-awareness alerts (SDIs) available
NEWS	5	MAR 02	GBFULL: New full-text patent database on STN
NEWS	6	MAR 03	REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS	7	MAR 03	MEDLINE file segment of TOXCENTER reloaded
NEWS	8	MAR 22	KOREAPAT now updated monthly; patent information enhanced
NEWS	9	MAR 22	Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS	10	MAR 22	PATDPASPC - New patent database available
NEWS	11	MAR 22	REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS	12	APR 04	EPFULL enhanced with additional patent information and new fields
NEWS	13	APR 04	EMBASE - Database reloaded and enhanced
NEWS	14	APR 18	New CAS Information Use Policies available online
NEWS	15	APR 25	Patent searching, including current-awareness alerts (SDIs), based on application date in CA/CAPLUS and USPATFULL/USPAT2 may be affected by a change in filing date for U.S. applications.
NEWS	16	APR 28	Improved searching of U.S. Patent Classifications for U.S. patent records in CA/CAPLUS
NEWS	17	MAY 23	GBFULL enhanced with patent drawing images
NEWS	18	MAY 23	REGISTRY has been enhanced with source information from CHEMCATS
NEWS	19	JUN 06	STN Patent Forums to be held in June 2005
NEWS	20	JUN 06	The Analysis Edition of STN Express with Discover! (Version 8.0 for Windows) now available
NEWS	21	JUN 13	RUSSIAPAT: New full-text patent database on STN
NEWS	22	JUN 13	FRFULL enhanced with patent drawing images
NEWS	23	JUN 20	MEDICONF to be removed from STN
NEWS EXPRESS			JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:33:31 ON 23 JUN 2005

=> index biosicene

'BIOSICENE' IS NOT A VALID FILE NAME

ENTER A FILE NAME OR (IGNORE):bioscience

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.84

0.84

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, ...' ENTERED AT 15:35:39 ON 23 JUN 2005

75 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view search error messages that display as 0* with SET DETAIL OFF.

=> tangential and crossflow and ultrafiltration and feedstream

36 FILES SEARCHED...

1 FILE IFIPAT

4 FILE USPATFULL

74 FILES SEARCHED...

2 FILES HAVE ONE OR MORE ANSWERS, 75 FILES SEARCHED IN STNINDEX

L1 QUE TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION AND FEEDSTREAM

=> tangential and crossflow and ultrafiltration

2 FILE AGRICOLA

4 FILE AQUALINE

1 FILE BIOBUSINESS

1 FILE BIOENG

2 FILE BIOSIS

1 FILE BIOTECHABS

1 FILE BIOTECHDS

1 FILE BIOTECHNO

2 FILE CABA

12 FILE CAPLUS

21 FILE CEABA-VTB

2 FILE DISSABS

3 FILE EMBASE

1 FILE FROSTI

4 FILE FSTA

1 FILE IFIPAT

47 FILES SEARCHED...

1 FILE LIFESCI

2 FILE MEDLINE

32 FILE PASCAL

12 FILE PROMT

19 FILE SCISEARCH

1 FILE TOXCENTER

71 FILE USPATFULL

7 FILE USPAT2

4 FILE WATER

25 FILES HAVE ONE OR MORE ANSWERS, 75 FILES SEARCHED IN STNINDEX

L2 QUE TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION

=> d rank

F1	71	USPATFULL
F2	32	PASCAL
F3	21	CEABA-VTB
F4	19	SCISEARCH
F5	12	CAPLUS
F6	12	PROMT
F7	7	USPAT2
F8	4	AQUALINE
F9	4	FSTA
F10	4	WATER
F11	3	EMBASE
F12	2	AGRICOLA
F13	2	BIOSIS
F14	2	CABA
F15	2	DISSABS
F16	2	MEDLINE
F17	1	BIOBUSINESS
F18	1	BIOENG
F19	1	BIOTECHABS
F20	1	BIOTECHDS
F21	1	BIOTECHNO
F22	1	FROSTI
F23	1	IFIPAT
F24	1	LIFESCI
F25	1	TOXCENTER

=> file pascal ceaba-vtb scisearch
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
2.95	3.79

FULL ESTIMATED COST

FILE 'PASCAL' ENTERED AT 15:38:42 ON 23 JUN 2005

Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2005 INIST-CNRS. All rights reserved.

FILE 'CEABA-VTB' ENTERED AT 15:38:42 ON 23 JUN 2005
COPYRIGHT (c) 2005 DECHEMA eV

FILE 'SCISEARCH' ENTERED AT 15:38:42 ON 23 JUN 2005
Copyright (c) 2005 The Thomson Corporation

=> tangential and crossflow and ultrafiltration

L3 72 TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION

=> dup remove

ENTER L# LIST OR (END):13

PROCESSING COMPLETED FOR L3

L4 67 DUP REMOVE L3 (5 DUPLICATES REMOVED)

=> tangential and crossflow and ultrafiltration and flux

L5 46 TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION AND FLUX

=> tangential and crossflow and ultrafiltration and flux and transition and point

L6 0 TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION AND FLUX AND TRANSI

TION AND POINT

=> tangential and crossflow and ultrafiltration and flux

L7 46 TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION AND FLUX

=> d ti 1-46

L7 ANSWER 1 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Pilot plant study of an **ultrafiltration** membrane system for
drinking water treatment operated in the feed-and-bleed mode

L7 ANSWER 2 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Application of micro/**ultrafiltration** to wine clarification
TIFR Integration des membranes dans les procedes, 2 : Montpellier, 14-16 mai
2003

L7 ANSWER 3 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN New porous ceramics for **tangential** filtration
International conference on inorganic membranes, ICIM-6, Montpellier,
France, 26-30 June 2000

L7 ANSWER 4 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Modeling of fouling in three **ultrafiltration** cell
configurations: Swirl, plane and axial annular

L7 ANSWER 5 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Retention of PVA (polyvinyl alcohol) by **tangential**
ultrafiltration
Separations : Montpellier, 5-7 October 1999

L7 ANSWER 6 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Relation between end use separation properties and substrate
characteristics for new proteinic membranes
Product engineering & chemical engineering now : Montpellier, 5-7 October
1999

L7 ANSWER 7 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN White wine clarification by micro/**ultrafiltration** : effect of
removed colloids in tartaric stability

L7 ANSWER 8 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Influence of membrane-solution interface on the selectivity of SnO₂
ultrafiltration membranes

L7 ANSWER 9 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN Comparison of two flow types (**crossflow** and swirling) in
ultrafiltration modules. Effect of wall shear stress
TIFR Comparaison de deux types d'écoulements (tangential plan et
tourbillonnaire) dans des modules d'**ultrafiltration**. Influence
de la contrainte parietale

L7 ANSWER 10 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN

TIEN High-performance **tangential** flow filtration using charged

membranes

- L7 ANSWER 11 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Inorganic membrane selectivity to ions in relation with streaming potential
- L7 ANSWER 12 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Stamped ceramic porous tubes for **tangential** filtration
Euromembrane '97
- L7 ANSWER 13 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Modification of clay cake permeability by adsorption of protein
- L7 ANSWER 14 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Newly-designed proteinic membrane for low **ultrafiltration**
- L7 ANSWER 15 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN **Flux** enhancement by a continuous **tangential** gas flow
in **ultrafiltration** hollow fibres for drinking water production
: Effects of slug flow on cake structure
TIFR Augmentation du **flux** par un courant gazeux tangentiel dans des
fibres creuses d'**ultrafiltration** pour la production d'eau
potable: effet des bulles sur la structure du gateau
- L7 ANSWER 16 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN High Performance **tangential** flow filtration
- L7 ANSWER 17 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Optimization diagram for membrane separations
- L7 ANSWER 18 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Mechanisms of protein fouling in cross-flow UF through an asymmetric
inorganic membrane
- L7 ANSWER 19 OF 46 PASCAL COPYRIGHT 2005 INIST-CNRS. ALL RIGHTS RESERVED.
on STN
TIEN Fouling in **tangential**-flow **ultrafiltration** : the
effect of colloid size and coagulation pretreatment
- L7 ANSWER 20 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Comparison of two types of flow (**tangential** and turbulent) in
ultrafiltration modules. Influence of wall effects
Vergleich zweier Stroemungsarten in Ultrafiltrationsmodulen: Einfluss von
Wandeffekten
- L7 ANSWER 21 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Microfiltration of Streptomyces rimosus: cell harvesting process studies
Mikrofiltration von Streptomyces rimosus: Prozessstudie zur Zellernte
- L7 ANSWER 22 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Evaluation of **crossflow** microfiltration membranes using a
rotary disc-filter
- L7 ANSWER 23 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Cell harvesting by cross-flow microfiltration using a shear-enhanced

module

- L7 ANSWER 24 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI On the relation between filtrate **flux** and particle concentration in batch **crossflow** microfiltration
Berechnungen zum Zusammenhang zwischen Filtratfluss und Konzentration bei der Querstrom-Mikrofiltration
- L7 ANSWER 25 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Membrane fouling during constant **flux crossflow** microfiltration of dilute suspensions of active dry yeast
Membranfouling waehrend der Querstrom-Mikrofiltration von verdueennten Suspensionen aktiver Hefe bei konstantem Fluss
- L7 ANSWER 26 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Retention of proteins in cross-flow UF through asymmetric inorganic membranes
Proteinrueckhaltung bei der Kreuzstrom-**Ultrafiltration** durch asymmetrische, anorganische Membranen
- L7 ANSWER 27 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Use of rotating filter to enhance ceramic membrane filtration performance of latex dispersions
Rotierender Filterzylinder fuer erhoehten Durchsatz bei der Filtration von Latexdispersionen ueber Keramikmembranen
- L7 ANSWER 28 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI A novel rig design for ultra- and microfiltration experiments
- L7 ANSWER 29 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI **Flux** limiting factors in **crossflow ultrafiltration** of invertase through an asymmetric inorganic membrane
- L7 ANSWER 30 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Set realistic goals for cross-flow filtration
Betrachtungen zur Kreuzstromfiltration
- L7 ANSWER 31 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Filtration special report
Filtrationsspezialbericht
- L7 ANSWER 32 OF 46 CEABA-VTB COPYRIGHT 2005 DECHEMA on STN
TI Hydrodynamic model and experiments for **crossflow** microfiltration
Berechnungsmodell und Experimente zur Kreuzstrom-Mikrofiltration
- L7 ANSWER 33 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation .on STN
TI Effects of reverse osmosis isolation on reactivity of naturally occurring dissolved organic matter in physicochemical processes
- L7 ANSWER 34 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
TI Studies on the interaction of fermentation and microfiltration operations: Erythromycin recovery from Saccharopolyspora erythraea fermentation broths
- L7 ANSWER 35 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation .on STN
TI Comparison of two types of flows (**crossflow** and swirling flow) in **ultrafiltration** modules - Influence of the wall constraint
- L7 ANSWER 36 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on

STN

TI The effect of oscillatory flow on **crossflow** microfiltration of beer in a tubular mineral membrane system - Membrane fouling resistance decrease and energetic considerations

L7 ANSWER 37 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI Stamped ceramic porous tubes for **tangential** filtration

L7 ANSWER 38 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI **Crossflow** microfiltration of a colloidal suspension with the presence of macromolecules

L7 ANSWER 39 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI Concentration of bovine serum albumin aqueous solutions by membrane distillation

L7 ANSWER 40 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI **Crossflow** microfiltration of recombinant Escherichia coli lysates after high pressure homogenization

L7 ANSWER 41 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI **Crossflow** microfiltration of oily water

L7 ANSWER 42 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI PERFORMANCE OF WHEY CROSS-FLOW MICROFILTRATION DURING TRANSIENT AND STATIONARY OPERATING-CONDITIONS

L7 ANSWER 43 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI MEMBRANE FOULING DURING CONSTANT **FLUX** CROSS-FLOW MICROFILTRATION OF DILUTE SUSPENSIONS OF ACTIVE DRY YEAST

L7 ANSWER 44 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI USE OF A ROTATING FILTER TO ENHANCE CERAMIC MEMBRANE FILTRATION PERFORMANCE OF LATEX DISPERSIONS

L7 ANSWER 45 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI A NOVEL RIG DESIGN FOR **ULTRAFILTRATION** AND MICROFILTRATION EXPERIMENTS

L7 ANSWER 46 OF 46 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI MODELING OF FOULING OF CROSS-FLOW MICROFILTRATION MEMBRANES

=> tangential and crossflow and ultrafiltration and flux and milk

L8 0 TANGENTIAL AND CROSSFLOW AND ULTRAFILTRATION AND FLUX AND MILK

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.29	8.08

FILE 'CAPLUS' ENTERED AT 15:40:55 ON 23 JUN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Jun 2005 VOL 142 ISS 26
FILE LAST UPDATED: 22 Jun 2005 (20050622/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> E COUTO DANIEL/AU 25

E1	1	COUTO DA SILVA T C/AU
E2	1	COUTO DAN/AU
E3	2 -->	COUTO DANIEL/AU
E4	2	COUTO DANIEL E/AU
E5	1	COUTO DAVID C/AU
E6	2	COUTO DE CASTRO RENATO ALMEIDA/AU
E7	6	COUTO DOS SANTOS M A/AU
E8	1	COUTO DOS SANTOS MARCOS/AU
E9	6	COUTO DOS SANTOS MARCOS A/AU
E10	4	COUTO E/AU
E11	1	COUTO E G/AU
E12	1	COUTO E SILVA TEREZINHA/AU
E13	1	COUTO EDALMO SOUZA/AU
E14	2	COUTO ELISABETH/AU
E15	1	COUTO ELISETE/AU
E16	2	COUTO ELIZABETH/AU
E17	4	COUTO ELSA/AU
E18	1	COUTO ELSA O/AU
E19	1	COUTO ERICK FARIAS/AU
E20	1	COUTO ERMINDA DA CONCEICAO/AU
E21	2	COUTO F/AU
E22	1	COUTO F F/AU
E23	1	COUTO F J D O/AU
E24	1	COUTO F O/AU
E25	1	COUTO FABIO DAVID/AU

=> S (E3)

L9 2 ("COUTO DANIEL"/AU)

=> d ti 1-2

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

TI A predictive aggregate transport model for microfiltration of combined macromolecular solutions and poly-disperse suspensions: Testing model with transgenic goat milk

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

TI Recovery of human monoclonal antibodies from transgenic goat milk

=> d ab bib 1-2

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

AB To meet the tech. challenge of recovering human IgG fusion protein from transgenic whole goat milk at reasonable cost with high purity and yield, a predictive aggregate transport model for microfiltration has been developed (Baruah and Belfort, 2003). Here, to test the model's predictability of permeate flux and mass transport, a comprehensive series of expts. with varying wall shear rate, feed temperature, feed concentration, and

module design are presented. A very good fit was obtained between the model predictions and measurements for a wide variety of exptl. conditions. For microfiltration module design comparison, a linear hollow fiber module (representing current com. technologies) gave lower permeation flux and higher yield than a helical hollow fiber module (representing the latest self-cleaning methodol.). These results are easily explained with the model that is now being used to define operating conditions for maximizing performance. The procedure described by the model is generalizable and can be used to obtain optimal filtration performance for applications other than milk.

AN 2003:693187 CAPLUS

DN 139:337107

TI A predictive aggregate transport model for microfiltration of combined macromolecular solutions and poly-disperse suspensions: Testing model with transgenic goat milk

AU Baruah, Gautam Lal; Couto, Daniel; Belfort, Georges

CS Howard P. Isermann Department of Chemical Engineering, Rensselaer Polytechnic Institute, Troy, NY, 12180, USA

SO Biotechnology Progress (2003), 19(5), 1533-1540

CODEN: BIPRET; ISSN: 8756-7938

PB American Chemical Society

DT Journal

LA English

RE.CNT 23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

AB Recombinant proteins are produced transgenically by inserting a specific DNA sequence into the genetic material of an animal embryo that directs the production of a desired protein in the milk of transgenic offspring. In the case of complex proteins, such as glycosylated Ig fusion proteins, transgenic production is a technol. and an economically attractive method of com. production. An important challenge involves the recovery of the desired protein from whole milk at reasonable cost and with high purity and yield. In this study, we describe the use of microfiltration for the recovery of human monoclonal antibodies (hIgG) from transgenic goat milk. The performance (permeation flux and hIgG mass transport) of a linear (representing current com.) and a helical (representing the latest self cleaning) hollow fiber membrane module containing similar 0.1 mm pore size poly(ether sulfone) membranes were compared. The goals of the study are to derive a fundamental, quant. understanding of the filtration process with highly complex transgenic whole goat milk and to obtain the optimal operating conditions in diafiltration mode for hIgG recovery. Expts. were carried out in three phases to yield hydraulic permeability, flux, mass transfer coeffs., C wall, protein sieving coeffs. and hIgG sieving coeffs. for both modules. In addition, a sensitivity anal. with respect to fat and casein was conducted. The helical module exhibited 70% higher permeation flux in comparison with the linear module. Exptl. obtained values were then incorporated into a heuristic, interactive computer program based on the gel polarization model and mass balances in finite difference form. The program can be generalized to predict diafiltration performance of different combinations of microfiltration/ultrafiltration systems, target proteins and fluids. This could be very useful for system-design and

scale-up of the microfiltration/ultrafiltration processes.

AN 2002:614036 CAPLUS

TI Recovery of human monoclonal antibodies from transgenic goat milk

AU Baruah, Gautam lal; Couto, Daniel; Belfort, Georges

CS Howard Isermann Department of Chemical Engineering, Rensselaer Polytechnic
Institute, Troy, NY, 12180, USA

SO Abstracts of Papers, 224th ACS National Meeting, Boston, MA, United
States, August 18-22, 2002 (2002), BIOT-079 Publisher: American Chemical
Society, Washington, D. C.

CODEN: 69CZPZ

DT Conference; Meeting Abstract

LA English